



## 38-400-6213S

### SHALLOW SKIRTED CLOSURES

#### CLOSURE SPECIFICATIONS

**Diameter:** 38 mm  
**Thread Profile:** 400  
**Neck Finish:** 38-400  
**Closure Top:** Stipple  
**Closure Sidewall:** Fine Ribbed  
**Material:** PP

#### PRODUCT BENEFITS

- » A great general-purpose closure
- » A proven closure for the Food Oil and Agricultural Chemical markets
- » Fine-ribbed sides are easier to grip
- » Our most popular closure style
- » Popular for cosmetics

#### MARKETS

- » Agricultural Products
- » Automotive Products
- » Beverages
- » Dairy Products
- » Dressings & Sauces
- » Food
- » Food Service
- » Food Oil
- » Household Chemicals
- » Industrial Products
- » Medical Products
- » Nutraceuticals
- » Personal Care/Cosmetics
- » Pharmaceuticals

#### OPTIONS

- » Available in white, several standard colors and custom colors
- » Liners can be cut with a tri-tab easy-open feature
- » This closure can be embossed or debossed with your custom message

#### PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Bulk	3,750	15	56,250	29.3486 (1) 32.3156 (2)	440.2290 (1) 484.7340 (2)	100.0 (1) 100.0 (2)

#### CARTON DIMENSIONS

24 x 16 x 15

#### PALLET DIMENSIONS

48 x 40 x 50

(1) Unlined Closures (2) Lined Closures \* Approximate


#### LOCATIONS

NAPERVILLE, IL • NEWPORT, TN • DAVENPORT, IA  
 GREENCASTLE, IN • ONTARIO, CA • STAINES, UK



# Phoenix Closures, Inc.

Quality and Innovation Since 1890



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. ALL DIMENSIONS ARE IN INCHES.

2. TOLERANCE ON ALL DIMENSIONS IS  $\pm 0.010$ " EXCEPT WHERE NOTES AS "REF.".

8	04.20.15	RE-DEFINED REFERENCE DIMENSIONS	DN
7	10.27.10	MODIFY INTERIOR TOP CORNER RADIUS	BZ
6	07.14.05	MODIFY INTERIOR HEIGHT	BZ
1-5	08.06.01	REVISE THREAD, RIBS, INTERIOR HEIGHT	BZ
REV	DATE	DESCRIPTION	BY




PITCH (TPI): 6	# OF TURNS: 1-3/16	MATERIAL: POLYPROPYLENE
DRAWING #: 38 - 400 - 6213S		SCALE: 2 : 1
DESCRIPTION: FINE RIB / CHAMFERED TOP w/ MATTE FINISH		
DRAWN BY: DMN	DATE: 09.06.06	APPROVED BY: LRE REV: 8

THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX CLOSURES, INC. AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX CLOSURES, INC. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX CLOSURES, INC.




# Phoenix Closures, Inc.

Quality and Innovation Since 1890



GLASS THREAD DETAIL  
SCALE 10 : 1



PLASTIC THREAD DETAIL  
SCALE 10 : 1

MATERIAL	TOLERANCE
PP / PE	± 0.012
PET	± 0.006
GLASS	+0.017 / -0.018

NOTES: (UNLESS OTHERWISE SPECIFIED)  
1. ALL DIMENSIONS ARE IN INCHES.  
2. TOLERANCE ON ALL DIMENSIONS GIVEN BY CHART.

#	DATE	DESCRIPTION	BY
00.00.00			

THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX CLOSURES, INC. AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX CLOSURES, INC.

PITCH (TPI): 6	# OF TURNS: 1-1/4	MATERIAL: PER CHART
DRAWING #: 38-400-FINISH		
DESCRIPTION: FINISH FOR USE WITH PCI 38-400 CLOSURES		
FILE: 38-400-FINISH.dwg	SCALE: 10 : 1	
DRAWN BY: BEZ	DATE: 08.31.93	APPRVD BY: LRE
	REV: 0	BF